



WA 0342
9-25-90
17a

2501 S.E. Columbia Way
Suite 240
Vancouver, Washington 98661
206/693-3644, 503/230-1445
FAX 206/693-1833

September 25, 1990

Mr. Howard R. Steeley, P.E.
Regional Supervisor
Solid and Hazardous Waste Program
State of Washington
Department of Ecology
Mail Stop PV-11
Olympia, WA 98504-8711

RE: EPA ID #WAD980979751

Dear Mr. Steeley:

Thank you for your letter dated September 4, 1990 regarding our completion of the implementation of our approved closure plan for Buildings 39 and 17 located in the Columbia Business Center.

According to Jack Boller of your office, in order for us to have our EPA ID #WAD908979751 withdrawn we need to forward you a letter requesting same.

Please utilize this correspondence as our written request to withdraw the above noted EPA ID Number. Neither of the sites (Building 39 or 17) is generating hazardous waste so we no longer need our number.

I have attached your letter to us so that you can more easily identify our file. Please let me know, however, if you require additional information.

Thank you for your help in this matter.

Sincerely,

COLUMBIA BUSINESS CENTER

CHRISTINE WAMSLEY
General Manager

CW:sda
040/022

CC: Jack Boller
Doug Hardesty
Lisa Stone





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Mail Stop PV-11 • Olympia, Washington 98504-8711 • (206) 459-6000

September 4, 1990

RECEIVED

SEP 10 1990

Ans'd.....

Doug Hardesty
Hillman Properties NW
c/o Columbia Business Park
2501 SE Columbia Way
Suite 240
Vancouver, WA 98661

Dear Mr. Hardesty:

The Department of Ecology (Ecology) in concurrence with the Environmental Protection Agency (EPA) has determined that you have completed the implementation of the approved closure plan for Building 39 and 17 at the Columbia Business Park. To complete the closure activity you must now submit to EPA and Ecology a revised notification for EPA ID Number WAD980979751. If you wish to maintain the ID number; the revised notification should indicate that your new status is generator only. This will require that you file an annual report with Ecology. If you wish to withdraw your ID number you should indicate this in the revised notification.

This letter in no way relieves you from future compliance with applicable regulations administered by Ecology and EPA at this facility. Further, it does not relieve you from closure requirements at Building 5.

Should you have any questions about the requirements of this letter, please contact Jack Boller at (206) 753-9428.

Sincerely,

Howard R. Steeley, P.E.
Regional Supervisor
Solid and Hazardous Waste Program

KS:dr

cc: Jack Boller